Author Index

AHNE W., ANDERS K., HALDER M. & YOSHIMIZU M.: Isolation of a picornavirus-like particle from the European smelt, *Osmerus eperlanus* (L.), 167.

AL-HARBI A.H., *see* SAEED M.O.

ALAMOUDI M.M., *see* SAEED M.O.

ALVAREZ-PELLITERO P., *see* SITJA-BOBADILLA A.

ANDERS K., *see* AHNE W.

ANDERSON I.G., NASH G. & SHARIFF M.: Mass larval mortalities in giant freshwater prawn, *Macrobrachium rosenbergii* de Man, cultured in Malaysian modified static 'green water' systems, 127.

ANDERSON W. I., *see* STOFFREGEN D.A.

ANGELIDIS P., *see* DEC C.

ARNESEN J.A., *see* BRAUN R.

AUSTIN B. & BILLAUD A.-C.: Inhibition of the fish pathogen, *Serratia liquefaciens*, by an antibiotic-producing isolate of *Planococcus* recovered from sea water, 555.

BACKMAN S., FERGUSON H.W., PRESCOTT J.F. & WILCOCK B.P.: Progressive panophthalmitis in chinook salmon, *Oncorhynchus tshawytscha* (Walbaum): a case report, 345.

BANKS R. MARGARET, *see* PRICE N.C.

BAUDIN LAURENCIN F., *see* DEC C.

BAYA A.M., LUPIANI B., HETRICK F.M., ROBERSON B.S., LUKACOVIC R., MAY E. & POUKISH C.: Association of *Streptococcus* sp. with fish mortalities in the Chesapeake Bay and its tributaries, 251.

BELL G.R., HOFFMAN R.W. & BROWN L.L.: Pathology of experimental infection of the sablefish, *Anoplopoma fimbria* (Pallas), with *Renibacterium salmoninarum*, the agent of bacterial kidney disease in salmonids, 355.

BERNOTH E.-M.: Autoagglutination, growth on tryptone-soy-Coomassie-agar, outer membrane protein patterns and virulence of *Aeromonas salmonicida* strains, 145.

BILLAUD A.-C., *see* AUSTIN B.

BØGWALD J., STENSVÅG K., HOFFMAN J., ESPELID S., HOLM K.O. & JØRGENSEN T.: Electrophoretic and immunochemical analysis of surface antigens of the fish pathogens *Vibrio salmonicida* and *Vibrio anguillarum*, 293.

BOOTLAND L.M., DOBOS P. & STEVENSON R.M.: Fry age and size effects on immersion immunization of brook trout, *Salvelinus fontinalis* Mitchell, against infectious pancreatic necrosis virus, 113.

BOUIX G., *see* FAYE N.

BRAUN R., ARNESEN J.A., RINNE A. & HJELMELAND K.: Immunohistological localization of trypsin in mucus-secreting cell layers of Atlantic salmon, *Salmo salar* L., 233.

BRON J., *see* JONES M.W.

BROWN C.: Nutritional requirements for extracellular accumulation of toxin produced by a pathogenic *Vibrio* sp., 239.

BROWN J., *see* DEL CORRAL F.

BROWN L.L., *see* BELL G.R.

BURKART M.A., CLARK T.G. & DICKERSON H.W.: Immunization of channel catfish, *Ictalurus punctatus* Rafinesque, against *Ichthyophthirius multifiliis* (Fouquet): killed versus live vaccines, 401.

CAMPBELL C.M., DUNCAN D., PRICE N.C. & STEVENS L.: The secretion of amylase, phospholipase and protease from *Aeromonas salmonicida*, and the correlation with membrane-associated ribosomes, 463.

CAMPBELL CAROLE M., *see* PRICE N.C.

CELIO D.A., *see* SHAFER T.H.

CHANRATCHAKOOL P., *see* CHINABUT S.

CHAPPELL L.H., *see* WHYTE S.K.

CHINABUT S., LIMSUWAN C. & CHANRATCHAKOOL P.: Mycobacteriosis in the snakehead, *Channa striatus* (Fowler), 531.

CHRISTIE K.E., *see* HÅVARSTEIN L.S.

CHRISTIE K.E., NESS S. & DJUPVIK H.O.: Infectious pancreatic necrosis virus in Norway: partial serotyping by monoclonal antibodies, 323.

CLARK T.G., *see* BURKART M.A.

DAVIES A.J.: Ultrastructural studies on the endogenous stages of *Eimeria variabilis* (Thélohan, 1893) Reichenow, 1921, from *Cottus (Taurulus) bubalis* Euphrasen (Teleostei: Cottidae), 447

DAVIES A.J., *see* MACLEAN S.A.

DE BEER S.W., *see* GLAZEBROOK J.S.

DEC C., ANGELIDIS P. & BAUDIN LAURENCIN F.: Effects of oral vaccination against vibriosis in turbot, *Scophthalmus maximus* (L.), and sea bass, *Dicentrarchus labrax* (L.), 369.

DEL CORRAL F., SHOTTS E.B. JR & BROWN J.: Adherence, haemagglutination and cell surface characteristics of motile aeromonads virulent for fish, 255.

DIAMANT A. & MCVICAR A.H.: Distribution of X-cell disease in common dab, *Limanda limanda* L., in the North Sea, and ultrastructural observations of previously undescribed developmental stages, 25.

DICKERSON H.W., *see* BURKART M.A.

DJUPVIK H.O., *see* CHRISTIE K.E.

DOBOS P., *see* BOOTLAND L.M.

DONALD A.W., *see* POWER C.A.

DUNCAN D., *see* CAMPBELL C.M.

DUNCAN DORIS, *see* PRICE N.C.

ECONOMON P.P., *see* MAHESHKUMAR S.

ELLIS A.E., *see* ROSE A.S.

ELLIS A.E., MASSON N. & MUNRO A.L.S.: A comparison of proteases extracted from *Caligus elongatus* (Nordmann, 1832) and *Lepeophtherius salmonis* (Kroyer, 1838), 163.

ENDRESEN C., *see* HÅVARSTEIN L.S.

ENGSTAD R., *see* ROBERTSEN B.

ENOMOTO M., *see* HARADA T.

ESPELID S., *see* BØGWALD J.

FARRELL A.P., JOHANSEN J.A. & SAUNDERS R.L.: Coronary lesions in Pacific salmonids, 97.
FAYE N., TOGUEBAYE B. S. & BOUIX G.: Ultrastructure and development of *Pleistophora senegalis* sp. nov. (Protozoa: Microspoa) from the gilthead sea bream, *Sparus aurata* L. (Teleost, Sparidae), from the coast of Senegal, 179.
FERGUSON H.W., *see* BACKMAN S.
FJELD E., *see* SKURDAL J.

GILL K.A., *see* KENNEDY C.J.
GLAZEBROOK J.S., HEASMAN M.P. & DE BEER S.W.: Picorna-like viral particles associated with mass mortalities in larval barramundi, *Lates calcarifer* Bloch, 245.
GLETTE J., *see* HÅVARSTEIN L.S.
GOYAL S.M., *see* MAHESHKUMAR S.
GRIER H.J., *see* KRAXBEGER-BEATTY T.

HALDER M., *see* AHNE W.
HANSEN G.H., RAA J. & Olafsen J.A.: Isolation of *Enterobacter agglomerans* from dolphin fish, *Coryphaena hippurus* L., 93.
HARADA T., HATANAKA J., KUBOTA S.S. & ENOMOTO M.: *Lymphoblastic lymphoma* in medaka, *Oryzias latipes* (Temminck et Schlegel), 169.
HASHIMOTO Y., *see* IMAGAWA T.
HASTINGS T.S., *see* LEWIN C.S.
HATANAKA J., *see* HARADA T.
HÅVARSTEIN L.S., ENDRESEN C., HJELTNES B., CHRISTIE K.E. & GLETTE J.: Specific immunoglobulins in serum from Atlantic salmon, *Salmo salar* L., immunized with *Vibrio salmonicida* and infectious pancreatic necrosis virus, 101.
HEASMAN M.P., *see* GLAZEBROOK J.S.
HETRICK F.M., *see* BAYA A.M.
— *see also* MARSHALL S.H.
HJELMELAND K., *see* BRAUN R.
HJELTNES B., *see* HÅVARSTEIN L.S.
HOFFMAN J., *see* BØGWALD J.
HOFFMAN R.W., *see* BELL G.R.
HOLM K.O., *see* BØGWALD J.
HOUGHTON G. & MATTHEWS R.A.: Immunosuppression in juvenile carp, *Cyprinus carpio* L.: the effects of the corticosteroids triamcinolone acetonide and hydrocortisone 21-hemisuccinate (cortisol) on acquired immunity and the humoral antibody response to *Ichthyophthirius multifiliis* Fouquet, 269.

IMAGAWA T., HASHIMOTO Y., KON Y. & SUGIMURA M.: Lectin histochemistry as special markers for rodlet cells in carp, *Cyprinus carpio* L., 537.
INOUE K., *see* YOSHIKOSHI K.

JASTRZĘBSKI M. & KOMOROWSKI Z.: Light and electron microscopic studies on *Goussia zarnowskii* (Jastrzębski, 1982): an intestinal coccidium parasitizing the three-spined stickleback, *Gasterosteus aculeatus* (L.), 1.
JAYNES J.M., *see* KELLY D.
JOHANSEN J.A., *see* FARRELL A.P.
JONES J.B.: *Goussia auxidis* (Dogiel, 1948) (Apicomplexa: Calyptosporidae) from tuna (Pisces: Scombridae) in the South Pacific, 215.
JONES M.W., SOMMERVILLE C. & BRON J.: The histopathology associated with the juvenile stages of *Lepeophtheirus salmonis* on the Atlantic salmon, *Salmo salar* L., 303.
JØRGENSEN T., *see* BØGWALD J.

KAKUTA I. & NAMBA K.: Isometric twitch tension of lateral muscle in carp, *Cyprinus carpio* L., with sekoke disease, 135.
KAWAHARA E., OSHIMA S. & NOMURA S.: Toxicity and immunogenicity of *Aeromonas salmonicida* extracellular products to salmonids, 495.
KELLY D., WOLTERS W.R. & JAYNES J.M.: Effect of lytic peptides on selected fish bacterial pathogens, 317.
KENNEDY C.J., GILL K.A. & WALSH P.J.: The effects of nifurpirinol treatment on the activities of hepatic xenobiotic transforming enzymes in the gulf toadfish, *Opsanus beta* (Goode and Bean), 525.
KIRCHHOFF H., *see* STADTLANDER C.
KOMOROWSKI Z., *see* JASTRZEBSKI M.
KON Y., *see* IMAGAWA T.
KÖRTING W., *see* STEINHAGEN D.
KRAXBERGER-BEATTY T., MCGAREY D.J., GRIER H.J. & LIM D.J.: *Vibrio harveyi*, an opportunistic pathogen of common snook, *Centropomus undecimalis* (Bloch), held in captivity, 557.
KRUSE P., *see* STEINHAGEN D.
KUBOTA S.S., *see* HARADA T.
KUSSER W.C. & NEWMAN S.G.: Detection of oxytetracycline residues in fish tissues using a sensitive bioassay, 545.

LEWIN C.S. & HASTINGS T.S.: *In vitro* activities of oxolinic acid, ciprofloxacin and norfloxacin against *Aeromonas salmonicida*, 377.
LILLEHAUG A., SØRUM R.H. & RAMSTAD A.: Cross-protection after immunization of Altantic salmon, *Salmo salar* L., against different strains of *Vibrio salmonicida*, 519.
LIM D.J., *see* KRAXBERGER-BEATTY T.
LIMSUWAN C., *see* CHINABUT S.
LOPEZ L.R., *see* NIETO T.P.
LUKACOVIC R., *see* BAYA A.M.
LUPIANI B., *see* BAYA A.M.

MCGAREY D.J., *see* KRAXBEGER-BEATTY T.
MACLEAN S.A. & DAVIES A.J.: Prevalence and development of intraleucocytic haemogregarines from Northwest and Northeast Atlantic mackerel, *Scomber scombrus* L., 59.
MCPHILLIPS T.H., *see* MARSHALL S.H.
MCVICAR A.H., *see* DIAMANT A.
MAHESHKUMAR S., GOYAL S.M. & ECONOMON P.P.: Concentration and detection of *Aeromonas salmonicida* from hatchery water, 513.
MARKHAM R.J.F., *see* POWER C.A.
MARSHALL S.H., SAMAL S.K., MCPHILLIPS T.H., MOORE A.R. & HETRICK F.M.: Isolation of a rotavirus from smelt, *Osmerus mordax* (Mitchell), 87.

MASSON N., *see* ELLIS A.E.
MATTHEWS R.A., *see* HOUGHTON G.
MAY E., *see* BAYA A.M.
MOORE A.R., *see* MARSHALL S.H.
MORITA N. & SANO T.: Regression effect of carp, *Cyprinus carpio* L., peripheral blood lymphocytes on CHV-induced carp papilloma, 505.
MUNRO A.L.S., *see* ELLIS A.E.
— *see also* ROSE A.S.

NAMBA K., *see* KAKUTA I.
NASH G., *see* ANDERSON I.G.
NESS S., *see* CHRISTIE K.E.
NEWMAN S.G., *see* KUSSER W.C.
NIETO T.P., LÓPEZ L.R., SANTOS Y., ÑUÑEZ S. & TORANZO A.E.: Isolation of *Serratia plymuthica* as an opportunistic pathogen in rainbow trout, *Salmo gairdneri* Richardson, 175.
NOMURA S., *see* KAWAHARA E.
NÚÑEZ S., *see* NIETO T.P.

OLAFSEN J.A., *see* HANSEN G.H.
OSHIMA S., *see* KAWAHARA E.

PADGETT D.E., *see* SHAFER T.H.
PELETEIRO M.C. & RICHARDS R.H.: Phagocytic cells in the epidermis of the rainbow trout, *Salmo gairdneri* Richardson, 225.
POUKISH C., *see* BAYA A.M.
POWER C.A., MARKHAM R.J.F. & DONALD A.W.: Uptake and tissue distribution of liposomes after intraperitoneal administration to rainbow trout, *Oncorhynchus mykiss* (Richardson): a preliminary report, 329.
PRESCOTT J.F., *see* BACKMAN S.
PRICE N.C., *see* CAMPBELL C.M.
PRICE N.C., BANKS R. MARGARET, CAMPBELL CAROLE M., DUNCAN DORIS & STEVENS L.: The specificity of the major (70 kDa) protease secreted by *Aeromonas salmonicida*, 49.

QVENILD T., *see* SKURDAL J.

RAA J., *see* HANSEN G.H.
—— *See also* ROBERTSEN B.
RAMSTAD A., *see* LILLEHAUG A.
RICHARDS R.H., *see* PELETEIRO M.C.
RINNE A., *see* BRAUN R.
ROBERSON B.S., *see* BAYA A.M.
ROBERTSEN B., RØRSTAD G., ENGSTAD R. & RAA J.: Enhancement of non-specific disease resistance in Atlantic salmon, *Salmo salar* L., by a glucan from *Saccharomyces cerevisiae* cell walls, 391.
RØRSTAD G., *see* ROBERTSEN B.
ROSE A.S., ELLIS A.E. & MUNRO A.L.S.: The survival of *Aeromonas salmonicida* subsp. *salmonicida* in sea water, 205.

SAEED M.O., ALAMOUDI M.M. & AL-HARBI A.H.: Histopathology of *Psedomonas putrefaciens* associated with disease in cultured rabbitfish, *Siganus rivulatus* (Forskal), 417.
SAMAL S.K., *see* MARSHALL S.H.
SANO T., *see* MORITA N.
SANTOS Y., *see* NIETO T.P.
SAUNDERS R.L., *see* FARRELL A.P.
SECOMBES C.J., *see* WHYTE S.K.
SHAFER T.H., PADGETT D.E. & CELIO D.A.: Evidence for enhanced salinity tolerance of a suspected fungal pathogen of Atlantic menhaden, *Brevoortia tyrannus* Latrobe, 335.
SHARIFF M., *see* ANDERSON I.G.
— *see also* WOO P.T.K.
SHCHELKUNOV I.S. & SHCHELKUNOVA T.I.: Infectivity experiments with *Cyprinus carpio* iridovirus (CCIV), a virus unassociated with carp gill necrosis, 475.
SHCHELKUNOVA T.I., *see* SHCHELKUNOV I.S.
SHOTTS E.B. JR, *see* DEL CORRAL F.
SITJA-BOBADILLA A. & ALVAREZ-PELLITERO P.: *Sphaerospora testicularis* sp. nov. (Myxosporea: Sphaerosporidae) in wild and cultured sea bass, *Dicentrarchus labrax* (L.), from the Spanish Mediterranean area, 193.
SKURDAL J., QVENILD T., TAUGBØL T. & FJELD E.: A 6-year study of *Thelohania contejeani* parasitism of the noble crayfish, *Astacus astacus* L., in Lake Steinsfjorden, S.E. Norway, 411.
SMITH A.C. & WANG T.-Y.: A large tumour from the gray snapper, *Lutjanus griseus* (L.), 311.
SOMMERVILLE C., *see* JONES M.W.
SØRUM R.H., *see* LILLEHAUG A.
STADTLANDER C. & KIRCHHOFF H.: Gill organ culture of rainbow trout, *Salmo gairdneri* Richardson: an experimental model for the study of pathogenicity of *Mycoplasma mobile* 163 K, 79.
STEINHAGEN D., KRUSE P. & KÖRTING W.: Some haematological observations on carp, *Cyprinus carpio* L., experimentally infected with *Trypanoplasma borreli* Laveran & Mesnil, 1901 (Protozoa: Kinetoplastida), 157.
STENSVÅG K., *see* BØGWALD J.
STEVENS L., *see* CAMPBELL C.M.
— *see also* PRICE N.C.
STEVENSON R.M.W., *see* BOOTLAND L.M.
STOFFREGEN D.A. & ANDERSON W.I.: A myxosporiduan parasite in the skeletal muscle of a black-tip reef shark, *Carcharinus melanopterus* (Quoy and Gaimard, 1824), 549.
SUGIMURA M., *see* IMAGAWA T.

TARASCHEWSKI H.: Host–parasite interface of *Neoechinorhynchus rutili* (Eoacanthocephala) in naturally infected salmonids, 39.
TAUGBØL T., *see* SKURDAL J.
THOMAS P.T. & WOO P.T.K.: Dietary modulation of humoral immune response and anaemia in rainbow trout, *Oncorhynchus mykiss* (Walbaum), infected with *Cryptobia salmositica* Katz, 1951, 435.
THOMAS P.T. & WOO P.T.K.: *In vivo* and *in vitro* cell-mediated immune responses of rainbow trout, *Oncorhynchus mykiss* (Walbaum), against *Cryptobia salmositica* Katz, 1951 (Sarcomastigophora: Kinetoplastida), 423.
THONEY D.A.: The effects of trichlorfon, praziquantel and copper sulphate on various stages of the monogenean *Benedeniella posterocolpa*, a

skin parasite of the cownose ray, *Rhinoptera bonasus* (Mitchill), 385.
TOGUEBAYE B.S., *see* FAYE N.
TORANZO A.E., *see* NIETO T.P.

WALSH P.J., *see* KENNEDY C.J.
WANG T.-Y., *see* SMITH A.C.
WHYTE S.K., CHAPPELL L.H. & SECOMBES C.J.: Protection of rainbow trout, *Oncorhynchus mykiss* (Richardson), against *Diplostomum spathaceum* (Digenea): role of specific antibody and activated macrophages, 281.
WIKLUND T.: Atypical *Aeromonas salmonicida* isolated from ulcers of pike, *Esox lucius* L., 541.
WILCOOK B.P., *see* BACKMAN S.
WOLTERS W.R., *see* KELLY D.
WOO P.T.K. & SHARIFF M.: *Lernea cyprinacea* L. (Copepoda: Caligidea) in *Helostoma temmincki* Cuvier & Valenciennes: the dynamics of resistance in recovered and naive fish, 485.
WOO P.T.K., *see* THOMAS P.T.
— *see also* THOMAS P.T.

YOSHIKOSHI K. & INOUE K.: Viral nervous necrosis in hatchery-reared larvae and juveniles of Japanese parrotfish, *Oplegnathus fasciatus* (Temminck & Schlegel), 69.
YOSHIMIZU M., *see* AHNE W.

Subject Index

Aeromonds, motile, 255.
Aeromonas salmonicida:
amylase, 463;
antibacterials, 377;
autoagglutination, 145;
hatchery water, 513;
phospholipase, 463;
pike, 541;
protease, 49, 463;
salmonids, 495;
survival in sea water, 205;
tryptone-soy-Coomassie-agar, 145;
virulence, 145.
Amylase, *Aeromonas salmonicida*, 463.
Anoplopoma fimbria, *see* sablefish.
Antibacterials, *Aeromonas salmonicida*, 377.
Antigens, surface:
Vibrio salmonicida, 293;
Vibrio anguillarum, 293.
Astacus astacus, *see* crayfish, noble.
Autoagglutination, *Aeromonas salmonicida*, 145.

Bacteria, lytic peptides, 317.
Barramundi, picornavirus-like particles, 245.
Bass, sea:
Sphaerospora testicularis, 193;
vibriosis, 369.
Benedeniella posterocolpa, ray, cownose, 385.
Bream, gilt-head sea, *Pleistophora senegalensis*, 179.
Brevoortia tyrannus, *see* menhaden, Atlantic.

Caligus elongatus, protease, 163.
Carcharhinus melanopterus, *see* shark, black-tip reef.
Carp:
CHV-induced papilloma, 505;
corticosteroid immunosuppression, 269;
gill necrosis, 475;
haematological observation, 157;
Ichthyophthirius multifiliis, 269;
lectins, 537;
rodlet cells, 537;
sekoke disease, 135;
Trypanoplasma borreli, 157.
Catfish, channel, *Ichthyophthirius multifiliis* vaccination, 401.
Centropomus undecimalis, *see* snook, common.
Channa striatus, *see* snakehead.
Chemotherapy, ray, cownose, 385.
Chesapeake Bay, *Streptococcus*, 251.
Coccidium, intestinal, 1.
Coronary lesions, salmonids, 97.
Corticosteroid immunosuppression, carp, 261.
Coryphaena hippurus, *see* dolphin fish.
Cottus bubalis, *Eimeria variabilis*, 442.
Crayfish, noble, *Thelohania contejeani*, 411.
Cryptobia salmositica, trout, rainbow, 423, 435.
Cyprinus carpio, *see* carp.

Dab, common, X-cell disease, 25.
Dicentrarchus labrax, *see* bass, sea, 193.
Diplostomum spathaceum, trout, rainbow, 281.
Dolphin fish, *Enterobacter agglomerans*, 93.

Eimeria variabilis, *Cottus bubalis*, 447.
Enterobacter agglomerans, dolphin fish, 93.
Enzymes, xenobiotic, toadfish, gulf, 525.
Esox lucius, *see* pike.

Fungal pathogen, menhaden, Atlantic, 335.

Gasterosteus aculeatus, *see* stickleback.
Gill organ culture, trout, 79.
Glucan, *Saccharomyces cerevisiae*, 391.
Goussia auxidis, tuna, 215.
Goussia zarnowskii, microscopic studies, 1.

Haemogregarines, intraleucocytic, mackerel, 59.
Helostoma temmincki, *Lernea cyprinae*, 485.

Ichthyophthirius multifiliis:
carp, 269;
catfish, channel, 401.
Ictalurus punctatus, *see* catfish channel.
Immunoglobulins, salmon serum, 101.

Lates calcarifer, *see* barramundi.
Lectins, carp rodlet cell, 539.
Lepeophtheirus salmonis:
protease, 163;
salmon, Atlantic, 303.
Lernea cyprinae, *Helostoma temmincki*, 485.
Limanda limanda, *see* dab, common.
Liposomes, trout, rainbow, 329.
Lutjanus griseus, *see* snapper, gray.
Lymphoma, lymphoblastic, medaka, 169.

Mackerel, intraleucocytic haemogregarines, 59.
Macrobrachium rosenbergii, *see* prawn, giant freshwater, 127.
Malaysia, larval prawn mortalities, 122.
Medaka, lymphoblastic lymphoma, 169.
Membrane, outer, protein patterns, 145.
Menhaden, Atlantic, fungal pathogen, 335.
Mortalities, larval prawn, 122.
Muscle twitch, isometric, carp, 135.
Mycobacteriosis, snakehead, 531.
Mycoplasma mobile, pathogenicity, trout, 79.
Myxosporidian, shark, black-tip reef, 549.

Necrosis:
gill, carp;
virus:
parrotfish, 69;
salmon, Atlantic, 101.
Neoechinorhynchus rutili, salmonids, 39.
Nifurpirinol, xenobiotic enzymes, 525.
North Sea, dab, X-cell disease, 25.
Norway:
crayfish, noble, 411;
IPNV, 323.

Oncorhynchus mykiss, see trout, rainbow.
Oncorhynchus tshawytscha, see salmon, chinook.
Oplegnathus fasciatus, see parrotfish.
Opsanus beta, see toadfish, gulf.
Oryzias latipes, see medaka, 169.
Osmerus eperlanus, see smelt, European.
Osmerus mordax, see smelt.
Oxytetracycline, 545.

Panophthalmitis, salmon, chinook, 345.
Papilloma, CHV-induced, carp, 505.
Parrotfish, Japanese, viral necrosis, 69.
Peptides, lytic, bacteria, 317.
Phagocytic cells, trout, rainbow, 225.
Phospholipase, *Aeromonas salmonicida*, 463.
Picorna-like viral particles:
  Barramundi mortalities, 245;
  isolation from smelt, European, 245.
Pike, *Aeromonas salmonicida*, 541.
Planococcus isolate, *Serratia liquefaciens*, 553.
Pleistophora senegalis, bream, gilt-head sea, 179.
Prawn, giant freshwater, larval mortalities, Malaysia, 127.
Protease:
  Aeromonas salmonicida, 49, 463;
  Caligus elongatus, 163;
  Lepeophtheirus salmonis, 163.
Pseudomonas putrefaciens, rabbitfish, 417.

Rabbitfish, *Pseudomonas putrefaciens*, 417.
Ray, cownose, *Benedeniella posterocolpa*, 385.
Renibacterium salmoninarum, sablefish, 355.
Rhinoptera bonasus, see ray, cownose.
Rotavirus, smelt, rainbow, 87.
Rodlet cells, lectins, carp, 537.

Sablefish, *Renibacterium salmoninarum*, 355.
Saccharomyces cerevisiae, glucan, salmon, Atlantic, 391.
Salmo gairdneri, see trout, rainbow.
Salmo salar, see salmon, Atlantic.
Salvelinus fontinalis, see trout, brook.
Salmon:
  Atlantic:
    immunoglobulins in serum, 101;
    IPNV, 101;
    Lepeophtheirus salmonis, 303;
    Saccharomyces cerevisiae glucan, 391;
    trypsin in mucus, 233;
    Vibrio salmonicida, 101, 519.
  Chinook, panophthalmitis, 345.
Salmonid:
  Aeromonas salmonicida. 495;
  coronary lesions, 97;
  Neoechinorhynchus rutili, 39.
Scomber scombrus, see mackerel.
Scophthalmus maximus, see turbot.
Sea water, *Aeromonas salmonicida* survival, 205.
Senegal, *Pleistophora* in bream, 179.
Sekoke disease, isometric muscle twitch in carp, 135.
Serratia liquefaciens, *Planococcus* isolate, 553.
Serratia plymuthica, trout, 175.
Shark, black-tip reef, myxosporidian, 549.
Siganus rivulatus, see rabbitfish.
Smelt:
  European, picornavirus-like particle, 167.
  rainbow, rotavirus isolation, 87.
Snakehead, mycobacteriosis, 531.
Snapper, gray, tumour, 311.
Snook, common, *Vibrio harveyi*, 557.
Spanish Mediterranean, *Sphaerospora testicularis* in bass, 193.
Sparus aurata, see bream, gilt-head sea.
Sphaerospora testicularis, bass, sea, 193.
South Pacific, tuna, 215.
Stickleback, three-spined, intestinal coccidium, 1.
Streptococcus, Chesapeake Bay, 251.

Thelohania contejeani crayfish, noble, 411.
Toadfish, gulf, xenobiotic enzymes, nifurpirinol, 525.
Toxin accumulation, *Vibrio*, 239.
Trout:
  brook, IPNV, 113.
  rainbow:
    Cryptobia salmositica, 423, 435;
    Diplostomum spathaceum, 281;
    liposome, 329;
    Mycoplasma, gill organ culture, 79;
    phagocytic cells, 225;
    Serratia plymuthica, 175.
Trypanoplasma borreli, carp haematology, 157.
Tryptone-soy-Coomassie-agar, *Aeromonas* growth, 145.
Trypsin, salmon mucus, 233.
Tumour, snapper, gray, 311.
Tuna, *Goussia auxidis*, South Pacific, 215.
Turbot, vibriosis, 369.

Vaccine:
  catfish against *Ichthyophthirius multifiliis*, 401;
  vibriosis, 369.
Virulence, *Aeromonas salmonicida*, 145.
Virus:
  CCIV, carp, 475;
  IPNV;
    Norway, 323;
    salmon, Atlantic, 101;
    trout, brook, 113.
  parrotfish, 69.
Vibrio, toxin accumulation, 239.
Vibrio anguillarum, surface antigens, 293.
Vibrio harveyi, snook, common, 557.
Vibrio salmonicida:
  salmon, Altantic, 101, 519;
  surface antigens, 293.
Vibriosis:
  turbot, 369;
  bass, sea, 369.

X-cell disease, dab, common, 25.